

Regional Water Quality Control Board

SAN FRANCISCO BAY REGION (2)



SECTION 303 (d) LIST PROPOSALS

Region 2 Summary of Recommendations

Water Body	Pollutant/Medium /Beneficial Use	RWQCB Recommendation	SWRCB Recommendation
San Mateo Coastal Basin/San Pedro Creek	High Coliform Count/Water/REC-1	List	List San Pedro Creek for High Coliform.
San Mateo Coastal Basin/San Vicente Creek	High Coliform Count/Water/REC-1, REC-2	List	List San Vicente Creek for High Coliform.
Central Basin/Stege Marsh	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life	List: Current application of other regulatory authorities and the effects- based nature of the listing would give this listing a low-priority.	Watch List: No pollutant identified for listing, this is an effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, the Consolidated Cleanup Plan.
Lake Merritt	Trash/Water/Aquatic Habitat and REC uses	Change in listed water body. Change pollutant from Floating Material to Trash.	Change in listed water body. Change pollutant from Floating Material to Trash.
Tomales Bay	Mercury/Water/Aquatic Life	Change in listed water body. Change pollutant from Metals to Mercury.	Change in listed water body. Change pollutant from Metals to Mercury.
Arroyo Las Positas	Diazinon/Water/Aquatic Life (MIGR; SPWN; (COLD); (WARM))	List	List for Diazinon. List this tributary, Arroyo Las Positas (13.5 miles) as part of the Urban Creeks in the San Francisco region. It was an oversight that it was not listed for Diazinon as part of that group of water bodies in 1998.
Arroyo Mocho	Diazinon/Water/Aquatic Life (MIGR; SPWN; (COLD); (WARM))	List	List for Diazinon. List this tributary, Arroyo Mocho (28.5 miles) as part of the Urban Creeks in the San Francisco region. It was an oversight that it was not listed for Diazinon as part of that group of water bodies in 1998.

Water Body	Pollutant/Medium /Beneficial Use	RWQCB Recommendation	SWRCB Recommendation
South Bay Basin/Islais Creek	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life	List: Current application of other regulatory authorities and the effects- based nature of the listing would give this listing a low-priority.	Watch List: No pollutant identified for listing, effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, Consolidated Cleanup Plan.
South Bay Basin/Marina Lagoon (San Mateo Co.)	High Coliform Count/Water/REC-1	List	List Marina Lagoon for High Coliform Counts.
South Bay Basin/Mission Creek	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life	List: Current application of other regulatory authorities and the effects- based nature of the listing would give this listing a low-priority.	Watch List: No pollutant identified for listing, effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, Consolidated Cleanup Plan.
Central Basin/Pacific Ocean at Baker Beach	High Coliform Count/Water/REC-1	List	List Pacific Ocean at Baker Beach (mouth of Lobos Creek) for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at China Beach	Beach Closures/Water/REC-1	List: Beach Closures were not based on actual monitoring data, they were based on CSO events and rainfall.	List Pacific Ocean at China Beach. This listing is a public health concern.
San Mateo Coastal Basin/Pacific Ocean at Fitzgerald Marine Reserve	High Coliform Count/Water/REC-1	List	List the Pacific Ocean at Fitzgerald Marine Reserve for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at Fitzgerald Marine Reserve	Beach Closures/Water/REC-1	List	List the Pacific Ocean at Fitzgerald Marine Reserve.
San Mateo Coastal Basin/Pacific Ocean at Fort Funston Beach	Beach Closures/Water/REC-1	List: Beach Closures were not based on actual monitoring data, they were based on CSO events and rainfall.	List Pacific Ocean at Fort Funston Beach for beach closures. This listing is a public health concern.
San Mateo Coastal Basin/Pacific Ocean at Ocean Beach	Beach Closures/Water/REC-1	List: Beach Closures were not based on actual monitoring data, they were based on CSO events and rainfall.	List Pacific Ocean at Ocean Beach for beach closures. Listing is a public health concern.

Water Body	Pollutant/Medium /Beneficial Use	RWQCB Recommendation	SWRCB Recommendation
San Mateo Coastal Basin/Pacific Ocean at Pacifica State Beach (Linda Mar or San Pedro Beach)	High Coliform Count/Water/REC-1	List	List the Pacific Ocean at Pacifica State Beach for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at Pacifica State Beach (Linda Mar or San Pedro Beach)	Beach Closures/Water/REC-1	List	List Pacific Ocean at Pacific State Beach.
San Mateo Coastal Basin/Pacific Ocean at Pillar Point Beach	High Coliform Count/Water/REC-1	List	List the Pacific Ocean at Pillar Point for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at Pillar Point Beach	Beach Closures/Water/REC-1	List	List Pacific Ocean at Pillar Point Beach.
San Mateo Coastal Basin/Pacific Ocean at Rockaway Beach	High Coliform Count/Water/REC-1	List	List Pacific Ocean at Rockaway Beach for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at San Gregorio Beach	High Coliform Count/Water/REC-1	List	List Pacific Ocean at San Gregorio Beach for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at Sharp Park Beach	Beach Closures/Water/REC-1	List	List Pacific Ocean at Sharp Park Beach for Beach Closures based on High Coliform data.
San Mateo Coastal Basin/Pacific Ocean at Surfer's Beach	Total Coliform/Water/REC-1	List	List Pacific Ocean at Surfer's Beach for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at Surfer's Beach	Beach Closures/Water/REC-1	List	List Pacific Ocean at Surfer's Beach for High Coliform.
San Mateo Coastal Basin/Pacific Ocean at Venice Beach	High Coliform/Water/REC-1	List	List Pacific Ocean at Venice Beach for High Coliform.

Water Body	Pollutant/Medium /Beneficial Use	RWQCB Recommendation	SWRCB Recommendation
San Pablo Basin/Petaluma River (tidal portion)	Copper/Water/Aquatic Life (WARM, MIGR)	Exclude from the List. This listing was made in the Draft Staff report. However a memo sent on 2/26/02 made mention that the RB no longer wishes to list the mouth of the Petaluma river for copper. This finding to withdraw the recommendation is based on the modified rationale to list, based on Water Effect Ratio (WER) information. The new information shows the copper levels are below the threshold for exceedance, hence there is no need for the river to be listed in 2002.	Exclude from the List. SWRCB staff agrees with the RB recommendation to withdraw this listing for 2002 due to new WER information.
San Pablo Basin/Petaluma River (tidal portion)	Nickel/Water/Aquatic Life (WARM, MIGR)	List	List the Petaluma River (tidal portion) for Nickel.
San Pablo Basin/Petaluma River	Diazinon/Water/Aquatic life (WARM; MIGR)	List	List the Petaluma River for Diazinon using the CDFG criteria.
Suisun Basin/Peyton Slough	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life	List: Current application of other regulatory authorities and the effects-based nature of the listing would give this listing a low-priority.	Watch List: No pollutant identified for listing, effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, Consolidated Cleanup Plan.
San Mateo Coastal Basin/Pomponino Creek	High Coliform Count/Water/REC-1	List	List Pomponino Creek for High Coliform.
San Mateo Coastal Basin/San Gregorio Creek	High Coliform Count/Water/REC-1	List	List San Gregorio Creek for High Coliform.
San Pablo Basin/San Pablo Reservoir	Mercury/Water/Fish Consumption	List	List the San Pablo Reservoir for Mercury.

Water Body	Pollutant/Medium /Beneficial Use	RWQCB Recommendation	SWRCB Recommendation
Walker Creek	Mercury/Water/Aquatic Life	Change in listed water body. Change pollutant from Metals to Mercury.	Change in listed water body. Change pollutant from Metals to Mercury.
Arroyo Hondo	Diazinon/Water/Aquatic Life and Drinking water uses	Delist	Delist this water body from the 1998 list. This body was listed as a mistake and never should have been listed as an Urban Creek.
Suisun/San Pablo Basins/Carquinez Strait	Copper/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
Suisun/San Pablo Basins/Carquinez Strait	Nickel/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
Suisun Basin/Sacramento-San Joaquin Delta	Copper/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
Suisun Basin/Sacramento-San Joaquin Delta	Nickel/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
Central Basin/San Francisco Bay, Central	Copper/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
South Bay Basin/San Francisco Bay, Lower	Copper/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
South Bay Basin/San Francisco Bay, Lower	Nickel/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
Santa Clara Basin/San Francisco Bay, South	Copper/Water/Aquatic Life	Delist according to the new Site Specific Objectives coming in Spring 2002, and place on the Watch List.	Maintain Listing. The Site Specific Objectives, that would allow this water body to be de-listed, have yet to be approved. Using the CTR standard, 35% of the samples still exceed.
Santa Clara Basin/San Francisco Bay, South	Nickel/Water/Aquatic Life	Delist according to the new Site Specific Objectives coming in Spring 2002, and place on the Watch List.	Delist and place on the Watch List. Using the current CTR standards only 1% of 604 samples still exceed.
San Pablo Basin/San Pablo Bay	Copper/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
San Pablo Basin/San Pablo Bay	Nickel/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.
Suisun Basin/Suisun Bay	Copper/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.

Water Body	Pollutant/Medium /Beneficial Use	RWQCB Recommendation	SWRCB Recommendation
Suisun Basin/Suisun Bay	Nickel/Water/Aquatic Life	Delist and place on the Watch List.	Delist and place on the Watch List.

Region 2

San Mateo Coastal Basin/San Pedro Creek

Water Body	San Mateo Coastal Basin/San Pedro Creek
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring/Surfrider data/lab QA/QC used. USEPA Region IX Laboratory data used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	High Coliform Counts are linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 3 years (98-2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 99 samples for total coliform, 6 samples for fecal coliform, for Basin Plan data set. 41 samples for total coliform, 23 samples for fecal coliform for Ocean Plan data set. Basin Plan objectives violated in 13% samples for total coliform, 98% samples for total coliform median, and 100% violated for samples of fecal coliform geometric mean and fecal coliform in dry weather months. Ocean Plan objectives violated in 90% of the samples for total coliform, 96% of samples for fecal coliform geometric mean, and 100% fecal coliform in dry weather months. E. coli data show 67% samples for total coliform maximum designated beach violated the Basin Plan Objectives. Basin Plan objectives violated in 63% samples for E. coli maximum moderately-used beach, violated in 57% samples for maximum lightly-used beach and violated in 57% samples for maximum infrequently-used beach, in dry weather months.
Spatial representation	Data was collected at 15 sampling sites.
Temporal representation	Data was collected, from 5/26/98-8/14/00, and 4/24/00-11/13/00.
Data type	Numerical data
Use of standard method	California Office of Health Hazard Assessment and Contra Costa County Health Services methods.
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List San Pedro Creek for High Coliform.

Region 2

San Mateo Coastal Basin/San Vicente Creek

Water Body	San Mateo Coastal Basin/San Vicente Creek
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1, REC-2
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	High Coliform Counts linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 2 years (98-2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 38 samples for total coliform, 22 samples for fecal coliform, and 6 samples for E. coli. E. coli data show 100% violations of the Basin Plan Objectives for total coliform maximum at all beaches in dry-weather months. Basin Plan violated in 3% of samples for total coliform maximum, 100% samples violated for total coliform median, 100% samples violated for fecal coliform geometric mean and 100% samples violated for fecal coliform (REC-1). Basin Plan objectives violated in 32% of samples for fecal coliform mean, and 23% violated samples for fecal coliform (REC-2) in dry-weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 10/6/98-9/26/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List San Vicente Creek for High Coliform.

Region 2

Central Basin/Stege Marsh

Water Body	Central Basin/Stege Marsh
Stressor/Media/Beneficial Use	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used BPTCP QA/QC. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Sediment Toxicity linked to Aquatic Life.
Utility of measure for judging if standards or uses are not attained	Toxicity test results (and ERM quotient) for sediment used.
Water Body-specific Information	Data = 2 months (1997), Data measured at the site, Environmental Conditions considered at site.
Data used to assess water quality	Elevated sediment chemistry (ERM quotient) 0-1% amphipod Survival, 5/5 tests, significant urchin toxicity, 3/3 samples, Relative benthic index = 0.00 (2 benthic samples)
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 10/97-12/97.
Data type	Numerical data
Use of standard method	BPTCP methods
Potential Source(s) of Pollutant	Industrial Point Sources
Alternative Enforceable Program	Consolidated Cleanup Plan (BPTCP)
RWQCB Recommendation	List: Current application of other regulatory authorities and the effects-based nature of the listing would give this listing a low-priority.
SWRCB Staff Recommendation	Watch List: No pollutant identified for listing, this is an effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, the Consolidated Cleanup Plan.

Region 2

Lake Merritt

Water Body	Lake Merritt
Stressor/Media/Beneficial Use	Trash/Water/Aquatic Habitat and REC uses
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Trash linked to Aquatic Habitat and REC uses.
Utility of measure for judging if standards or uses are not attained	N/A
Water Body-specific Information	N/A
Data used to assess water quality	N/A
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	N/A
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers
Alternative Enforceable Program	N/A
RWQCB Recommendation	Change in listed water body. Change pollutant from Floating Material to Trash.
SWRCB Staff Recommendation	Change in listed water body. Change pollutant from Floating Material to Trash.

Region 2

Tomales Bay

Water Body	Tomales Bay
Stressor/Media/Beneficial Use	Mercury/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Mercury linked to Aquatic life.
Utility of measure for judging if standards or uses are not attained	N/A
Water Body-specific Information	N/A
Data used to assess water quality	N/A
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	N/A
Potential Source(s) of Pollutant	Mine Tailings
Alternative Enforceable Program	N/A
RWQCB Recommendation	Change in listed water body. Change pollutant from Metals to Mercury.
SWRCB Staff Recommendation	Change in listed water body. Change pollutant from Metals to Mercury.

Region 2

Arroyo Las Positas

Water Body	Arroyo Las Positas
Stressor/Media/Beneficial Use	Diazinon/Water/Aquatic Life (MIGR; SPWN; (COLD); (WARM))
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Diazinon linked to Aquatic Life Uses.
Utility of measure for judging if standards or uses are not attained	WQO, Basin Plan
Water Body-specific Information	Water Body was added to the Basin Plan in 1995 as part of the Urban Creeks. It should have been listed in 1998, along with the other Urban Creeks for Diazinon.
Data used to assess water quality	List based on the criteria that was used to list Urban creeks in 1998. This water body should have been listed for Diazinon then, however due to an oversight by staff it was left off the 1998 list and should be placed on the 2002 list.
Spatial representation	Data was collected by Regional Board field reconnaissance in 2001.
Temporal representation	Data was collected by Regional Board field reconnaissance in 2001.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List for Diazinon. List this tributary, Arroyo Las Positas (13.5 miles) as part of the Urban Creeks in the San Francisco region. It was an oversight that it was not listed for Diazinon as part of that group of water bodies in 1998.

Region 2

Arroyo Mocho

Water Body	Arroyo Mocho
Stressor/Media/Beneficial Use	Diazinon/Water/Aquatic Life (MIGR; SPWN; (COLD); (WARM))
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Diazinon linked to Aquatic Life Uses.
Utility of measure for judging if standards or uses are not attained	WQO, Basin Plan
Water Body-specific Information	Water Body was added to the Basin Plan in 1995 as part of the Urban Creeks. It should have been listed in 1998, along with the other Urban Creeks for Diazinon.
Data used to assess water quality	List based on the criteria that was used to list Urban creeks in 1998. This water body should have been listed for Diazinon then, however due to an oversight by staff it was left off the 1998 list and should be placed on the 2002 list.
Spatial representation	Data was collected by Regional Board field reconnaissance in 2001.
Temporal representation	Data was collected by Regional Board field reconnaissance in 2001.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List for Diazinon. List this tributary, Arroyo Mocho (28.5 miles) as part of the Urban Creeks in the San Francisco region. It was an oversight that it was not listed for Diazinon as part of that group of water bodies in 1998.

Region 2

South Bay Basin/Islais Creek

Water Body	South Bay Basin/Islais Creek
Stressor/Media/Beneficial Use	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used BPTCP QA/QC. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Sediment Toxicity linked to Aquatic Life.
Utility of measure for judging if standards or uses are not attained	Toxicity test results (and ERM quotient) for sediment used. WQO, Basin Plan.
Water Body-specific Information	Data = 3 years (94-97), Data measured at the site, Environmental Conditions considered at site.
Data used to assess water quality	Elevated sediment chemistry (ERM quotient), Significant amphipod toxicity in 3/4 samples (75%), Significant urchin toxicity in 4/5 samples (80%), Relative benthic index = 0.22, 0.25, 0.43 (3 benthic gradient samples).
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 9/94- 9/97.
Data type	Numerical data
Use of standard method	BPTCP methods
Potential Source(s) of Pollutant	Combined Sewer Overflows/Industrial Point Sources
Alternative Enforceable Program	Consolidated Cleanup Plan (BPTCP)
RWQCB Recommendation	List: Current application of other regulatory authorities and the effects-based nature of the listing would give this listing a low-priority.
SWRCB Staff Recommendation	Watch List: No pollutant identified for listing, effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, Consolidated Cleanup Plan.

Region 2

South Bay Basin/Marina Lagoon (San Mateo Co.)

Water Body	South Bay Basin/Marina Lagoon (San Mateo Co.)
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	High Coliform Counts are linked to REC-1 uses.
Utility of measure for judging if standards or uses are not attained	Basin Plan objectives and Ocean Plan water contact standards used.
Water Body-specific Information	Data = 2 years (98-2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	192 samples for total coliform there were Basin Plan Objectives violated in 1% of the samples. Basin Plan Objectives violated in 50% of samples for total coliform median. Basin Plan Objectives violated in 10% of samples for fecal coliform geometric mean. Basin Plan Objectives violated in 33% of samples for fecal coliform 90th percentile in dry weather months. Basin Plan Objectives violated for E. coli data in 31% of the samples.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 10/7/98-10/31/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Marina Lagoon for High Coliform Counts.

Region 2

South Bay Basin/Mission Creek

Water Body	South Bay Basin/Mission Creek
Stressor/Media/Beneficial Use	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used BPTCP QA/QC. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Sediment Toxicity linked to Aquatic Life.
Utility of measure for judging if standards or uses are not attained	Toxicity test results (and ERM quotient) for sediment used.
Water Body-specific Information	Data = 2 years (95-97), Data measured at the site, Environmental Conditions considered at site.
Data used to assess water quality	Elevated sediment chemistry (ERM quotient) significant amphipod toxicity, 3/5 tests (60%) significant urchin toxicity, 3/5 samples (60%), relative benthic index = 0.00, 0.34, and 0.65 (3 benthic gradient samples).
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 5/95-4/97.
Data type	Numerical data
Use of standard method	BPTCP methods
Potential Source(s) of Pollutant	Combined Sewer Overflows/Industrial Point Sources
Alternative Enforceable Program	Consolidated Cleanup Plan (BPTCP)
RWQCB Recommendation	List: Current application of other regulatory authorities and the effects-based nature of the listing would give this listing a low-priority.
SWRCB Staff Recommendation	Watch List: No pollutant identified for listing, effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, Consolidated Cleanup Plan.

Region 2

Central Basin/Pacific Ocean at Baker Beach

Water Body	Central Basin/Pacific Ocean at Baker Beach
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	USEPA Storet data. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and fecal coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 11 months (7/97-5/98), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 164 samples total. Ocean Plan objectives violated in 9.7% of the samples for total coliform in dry-weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 7/1/97-5/29/98.
Data type	Numerical data
Use of standard method	USEPA methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Combined Sewer Overflows
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Baker Beach (mouth of Lobos Creek) for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at China Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at China Beach
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Beach Closures linked to REC-1.
Utility of measure for judging if standards or uses are not attained	USEPA Guidance (1996)
Water Body-specific Information	Data = 2000 Beach closure data. Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	The beach closures were based on rainfall and combined sewer overflow events. Percent exceedances were calculated for the maximum, median, and geomean Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Combined Sewer Overflows
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List: Beach Closures were not based on actual monitoring data, they were based on CSO events and rainfall.
SWRCB Staff Recommendation	List Pacific Ocean at China Beach. This listing is a public health concern.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Fitzgerald Marine Reserve

Water Body	San Mateo Coastal Basin/Pacific Ocean at Fitzgerald Marine Reserve
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan and Basin Plan used
Water Body-specific Information	Data = 3 years (5/98-10/00), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 49 samples total. Ocean Plan Objectives violated in 43% of the samples for total coliform in dry-weather months. Basin Plan Objectives were violated in 16% of samples for log mean, and in 73% of samples in dry weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 5/98-10/98, 5/99-10/99 and 5/00-10/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the Pacific Ocean at Fitzgerald Marine Reserve for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Fitzgerald Marine Reserve

Water Body	San Mateo Coastal Basin/Pacific Ocean at Fitzgerald Marine Reserve
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan and Ocean Plan used
Water Body-specific Information	Data = 2000 Beach closure data. Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	The beach closures were based on high coliform counts. Percent exceedances were calculated for the maximum, median, and geometric mean Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the Pacific Ocean at Fitzgerald Marine Reserve.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Fort Funston Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Fort Funston Beach
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Beach Closures linked to REC-1.
Utility of measure for judging if standards or uses are not attained	USEPA Guidance (1996)
Water Body-specific Information	Data = 2000 Beach closure data.
Data used to assess water quality	The beach closures were based on rainfall and combined sewer overflow events. Percent exceedances were calculated for the maximum, median, and geomean Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Unknown
Temporal representation	Unknown
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Combined Sewer Overflows
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List: Beach Closures were not based on actual monitoring data, they were based on CSO events and rainfall.
SWRCB Staff Recommendation	List Pacific Ocean at Fort Funston Beach for beach closures. This listing is a public health concern.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Ocean Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Ocean Beach
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Beach Closures linked to REC-1.
Utility of measure for judging if standards or uses are not attained	USEPA Guidance (1996)
Water Body-specific Information	Data = 2000 Beach closure data.
Data used to assess water quality	The beach closures were based on rainfall and combined sewer overflow events. The closures weren't based on monitoring data. Consistent with USEPA guidance (1996) for beach closures, the beach is recommended to be listed.
Spatial representation	Unknown
Temporal representation	Unknown
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Combined Sewer Overflows
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List: Beach Closures were not based on actual monitoring data, they were based on CSO events and rainfall.
SWRCB Staff Recommendation	List Pacific Ocean at Ocean Beach for beach closures. Listing is a public health concern.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Pacifica State Beach (Linda

Water Body	San Mateo Coastal Basin/Pacific Ocean at Pacifica State Beach (Linda Mar or San Pedro Beach)
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 3 years (1/98-1/01), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 36 wet weather samples. Ocean Plan Objectives violated in 22% of samples for total coliform in wet-weather months. This listing is driven by wet weather only. Ocean Plan objectives violated in 19% of samples for fecal coliform. No exceedances between May and October. Wet weather exceedances.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 1/98-1/01.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the Pacific Ocean at Pacifica State Beach for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Pacifica State Beach (Linda

Water Body	San Mateo Coastal Basin/Pacific Ocean at Pacifica State Beach (Linda Mar or San Pedro Beach)
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 2000 Beach closure data. Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	The beach closures were based on high coliform counts. Percent exceedances were calculated for the maximum, median, and geometric mean Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Pacific State Beach.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Pillar Point Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Pillar Point Beach
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 3 years (5/98-10/00), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 143 samples total. Ocean Plan objectives violated in 40% of samples for total coliform in dry-weather months. Ocean Plan objectives violated in 9% of the samples for log mean and 35% of the samples for fecal coliform in dry weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 5/98-10/98, 5/99-10/99 and 5/00-10/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the Pacific Ocean at Pillar Point for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Pillar Point Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Pillar Point Beach
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 2000 Beach closure data. Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	The beach closures were based on high coliform counts. Percent exceedances were calculated for the maximum, median, and geometric mean Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Pillar Point Beach.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Rockaway Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Rockaway Beach
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 1 year (2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 23 samples total. Ocean Plan objectives violated in 13% of samples for total coliform in dry-weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 5/00-10/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers, Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Rockaway Beach for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at San Gregorio Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at San Gregorio Beach
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 3 years (98-2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 56 samples for total coliform, 23 samples for fecal coliform. Ocean Plan objectives violated in 5% of samples for total coliform in combined dry- and wet-weather months. Ocean Plan objectives violated in 8% samples for fecal coliform, wet-weather only. No exceedances between May and October. Listing driven by wet weather exceedances.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 9/98-3/01.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at San Gregorio Beach for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Sharp Park Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Sharp Park Beach
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Beach Closures linked to REC-1.
Utility of measure for judging if standards or uses are not attained	USEPA Guidance (1996)
Water Body-specific Information	Data = 2000 Beach closure data. Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	The beach closures were based on high coliform counts. Percent exceedances were calculated for the maximum, median, and geometric Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Sharp Park Beach for Beach Closures based on High Coliform data.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Surfer's Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Surfer's Beach
Stressor/Media/Beneficial Use	Total Coliform/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Total and Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 4 years (97-2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 134 total coliform samples, 126 fecal coliform samples. Ocean Plan objectives violated in 5% samples for total coliform in combined dry- and wet-weather months. Ocean Plan objectives violated in 9% of samples for fecal coliform in combined wet-dry weather. No exceedances between May and October. Listing driven by wet weather only.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 7/97-1/01.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Surfer's Beach for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Surfer's Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Surfer's Beach
Stressor/Media/Beneficial Use	Beach Closures/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 2000 Beach closure data. Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	The beach closures were based on high coliform counts. Percent exceedances were calculated for the maximum, median, and geometric Basin Plan and Ocean Plan Objectives. There were exceedances of the objectives, and consistent with USEPA guidance (1996), the beach is recommended to be listed.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Surfer's Beach for High Coliform.

Region 2

San Mateo Coastal Basin/Pacific Ocean at Venice Beach

Water Body	San Mateo Coastal Basin/Pacific Ocean at Venice Beach
Stressor/Media/Beneficial Use	High Coliform/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Fecal Coliform linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Ocean Plan used
Water Body-specific Information	Data = 2 years (98-2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 30 samples. Ocean Plan violated in 13% of samples for total coliform in dry-weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 9/28/98-10/31/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pacific Ocean at Venice Beach for High Coliform.

Region 2

San Pablo Basin/Petaluma River (tidal portion)

Water Body	San Pablo Basin/Petaluma River (tidal portion)
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life (WARM, MIGR)
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	There were 15 exceedances since 1993. New information sent to the SWRCB in a memo on 2/26/02 changes this finding. This finding is based on the modified rationale to list, based on Water Effect Ratio (WER) information. The new information shows the copper levels are below the threshold for exceedance, hence there is no need for the river to be listed in 2002.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Monitoring Program (RMP) methods.
Potential Source(s) of Pollutant	Municipal Point Sources, Urban Runoff/Storm Sewers, Atmospheric Deposition
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Exclude from the List. This listing was made in the Draft Staff report. However a memo sent on 2/26/02 made mention that the RB no longer wishes to list the mouth of the Petaluma river for copper. This finding to withdraw the recommendation is based on the modified rationale to list, based on Water Effect Ratio (WER) information. The new information shows the copper levels are below the threshold for exceedance, hence there is no need for the river to be listed in 2002.
SWRCB Staff Recommendation	Exclude from the List. SWRCB staff agrees with the RB recommendation to withdraw this listing for 2002 due to new WER information.

Region 2

San Pablo Basin/Petaluma River (tidal portion)

Water Body	San Pablo Basin/Petaluma River (tidal portion)
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life (WARM, MIGR)
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	CTR, WQO Basin Plan
Water Body-specific Information	Data = 8 years (93-2001), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Using the CTR , there have been 4 exceedances since 1993, two were twice the Basin Plan Objective amounts.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Monitoring Program (RMP) methods.
Potential Source(s) of Pollutant	Municipal Point Sources, Urban Runoff/Storm Sewers, Atmospheric Deposition
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the Petaluma River (tidal portion) for Nickel.

Region 2

San Pablo Basin/Petaluma River

Water Body	San Pablo Basin/Petaluma River
Stressor/Media/Beneficial Use	Diazinon/Water/Aquatic life (WARM; MIGR)
Data quality assessment. Extent to which data quality requirements met.	Abelli-Amen, Petaluma Tree Planters data used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Diazinon linked to Aquatic Life.
Utility of measure for judging if standards or uses are not attained	CDFG Acute Criterion , WQO
Water Body-specific Information	Data = 4 months (7/98-11/98), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 36 samples total. CDFG acute criteria for Diazinon was violated in 33% of the samples. The criteria was used to determine the exceedance of the WQO.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 7/98-11/98.
Data type	Numerical data
Use of standard method	Abelli-Amen, Petaluma Tree Planters, Regional Board methods.
Potential Source(s) of Pollutant	Urban Runoff/Storm Sewers
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the Petaluma River for Diazinon using the CDFG criteria.

Region 2

Suisun Basin/Peyton Slough

Water Body	Suisun Basin/Peyton Slough
Stressor/Media/Beneficial Use	Sediment Toxicity and Benthic Community Effects/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used BPTCP QA/QC. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Sediment Toxicity linked to Aquatic Life.
Utility of measure for judging if standards or uses are not attained	Toxicity test results (and ERM quotient) for sediment used.
Water Body-specific Information	Data = 2 years (95-97), Data measured at the site, Environmental Conditions considered at site.
Data used to assess water quality	Elevated sediment chemistry (ERM quotient), significant amphipod toxicity in 4/5 samples (80%), significant urchin toxicity--4/5 samples (80%), relative benthic index = 0.36, 0.51, 0.34 (3 benthic gradient samples).
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected, from 5/95-4/97.
Data type	Numerical data
Use of standard method	BPTCP methods
Potential Source(s) of Pollutant	Industrial Point Sources
Alternative Enforceable Program	Consolidated Cleanup Plan (BPTCP)
RWQCB Recommendation	List: Current application of other regulatory authorities and the effects-based nature of the listing would give this listing a low-priority.
SWRCB Staff Recommendation	Watch List: No pollutant identified for listing, effects-based listing. The water body is part of the BPTCP list of toxic hot spots, therefore an alternative enforceable program is in place, Consolidated Cleanup Plan.

Region 2

San Mateo Coastal Basin/Pomponino Creek

Water Body	San Mateo Coastal Basin/Pomponino Creek
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	High Coliform Counts are linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 5 months (2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 44 samples for total coliform, 23 samples for fecal coliform, 21 E. coli samples. Basin Plan objectives violated in 64% samples for total coliform median. Basin Plan objectives violated in 3% samples for fecal coliform geomean. Basin Plan Objectives violated in 17% samples for fecal coliform in dry-weather months. E. coli data showed Basin Plan objectives violated in 5% samples for all the beach uses in dry weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 6/12/00-10/31/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List Pomponino Creek for High Coliform.

Region 2

San Mateo Coastal Basin/San Gregorio Creek

Water Body	San Mateo Coastal Basin/San Gregorio Creek
Stressor/Media/Beneficial Use	High Coliform Count/Water/REC-1
Data quality assessment. Extent to which data quality requirements met.	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab QA/QC used. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	High Coliform Counts are linked to REC-1.
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 2 years (98-2000), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	Data = 56 samples for total coliform , 23 samples for fecal coliform, 22 samples for E. coli. Basin Plan objectives violated in 2% samples for total coliform maximum Objectives violated in 73% samples for total coliform median. Basin Plan objectives violated in 26% samples for fecal coliform geomean. Objectives violated in 43% samples for fecal coliform in dry-weather months. E. coli data show 45% samples for total coliform maximum designated beach violated the Basin Plan Objectives. Basin Plan objectives violated in 45% samples for E. coli maximum moderately-used beach, violated in 18% samples for maximum lightly-used beach and violated in 45% samples for maximum infrequently-used beach, in dry weather months.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 9/28/98-10/31/00.
Data type	Numerical data
Use of standard method	San Mateo County Environmental Health Dept. Beach Monitoring, Surfrider data/lab methods, Regional Board.
Potential Source(s) of Pollutant	Nonpoint Source
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List San Gregorio Creek for High Coliform.

Region 2

San Pablo Basin/San Pablo Reservoir

Water Body	San Pablo Basin/San Pablo Reservoir
Stressor/Media/Beneficial Use	Mercury/Water/Fish Consumption
Data quality assessment. Extent to which data quality requirements met.	Used California Office of Health Hazard Assessment and Contra Costa County Health Services data. QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Mercury linked to fish consumption
Utility of measure for judging if standards or uses are not attained	Interim fish advisory issued Feb. 2000, USEPA screening criteria (0.3 ppm), WQO
Water Body-specific Information	Data = 1 month (11/97), Data measured at the site, Species or Indicator present at site, Environmental Conditions considered at site.
Data used to assess water quality	5 out of 12 composite fish-tissue samples exceed the USEPA criteria. All of the fish were trophic Level 4 samples (large mouth bass). There was also a fish advisory issued in February 2000.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected during 11/97.
Data type	Numerical data
Use of standard method	Unknown
Potential Source(s) of Pollutant	Atmospheric Deposition
Alternative Enforceable Program	Unknown
RWQCB Recommendation	List
SWRCB Staff Recommendation	List the San Pablo Reservoir for Mercury.

Region 2

Walker Creek

Water Body	Walker Creek
Stressor/Media/Beneficial Use	Mercury/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Data evaluation was based on USEPA guidelines for 305(b) reports, that uses a hierarchy of water quality data levels. Only data of higher overall level of information (Levels 3 and 4) were used to list a water body.
Linkage between measurement endpoint and beneficial use or standard	Mercury linked to Aquatic life.
Utility of measure for judging if standards or uses are not attained	N/A
Water Body-specific Information	N/A
Data used to assess water quality	N/A
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	N/A
Potential Source(s) of Pollutant	Surface Mining, Mine Tailings
Alternative Enforceable Program	N/A
RWQCB Recommendation	Change in listed water body. Change pollutant from Metals to Mercury.
SWRCB Staff Recommendation	Change in listed water body. Change pollutant from Metals to Mercury.

Region 2

Arroyo Hondo

Water Body	Arroyo Hondo
Stressor/Media/Beneficial Use	Diazinon/Water/Aquatic Life and Drinking water uses
Data quality assessment. Extent to which data quality requirements met.	QA/QC requirement. Only data of higher overall level of information were used.
Linkage between measurement endpoint and beneficial use or standard	Diazinon linked to Aquatic Life and Drinking water.
Utility of measure for judging if standards or uses are not attained	WQO, Basin Plan
Water Body-specific Information	This water body was erroneously added to the 1998 as part of the Urban creek listing for Diazinon.
Data used to assess water quality	Listing Factor 3 mistake made in 1998 List. This water body was found to be not part of the Urban Creek tributaries listed on the 1998 list... this creek isn't an urban creek at all. Field Reconnaissance in 2001, found this mistake.
Spatial representation	Data was spatially collected.
Temporal representation	Data was temporally collected.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	N/A
Alternative Enforceable Program	N/A
RWQCB Recommendation	Delist
SWRCB Staff Recommendation	Delist this water body from the 1998 list. This body was listed as a mistake and never should have been listed as an Urban Creek.

Region 2

Suisun/San Pablo Basins/Carquinez Strait

Water Body	Suisun/San Pablo Basins/Carquinez Strait
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 466 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Since March 1993, there have been 6 exceedances, and there have been no exceedances of the objective since 1997.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	
Alternative Enforceable Program	
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Suisun/San Pablo Basins/Carquinez Strait

Water Body	Suisun/San Pablo Basins/Carquinez Strait
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used.
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 463 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Using the CTR standard, there have been no exceedances since March of 1993.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Suisun Basin/Sacramento-San Joaquin Delta

Water Body	Suisun Basin/Sacramento-San Joaquin Delta
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 466 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Since March 1993, there have been 6 exceedances, and there have been no exceedances of the objective since 1997.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Suisun Basin/Sacramento-San Joaquin Delta

Water Body	Suisun Basin/Sacramento-San Joaquin Delta
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 463 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Using the CTR standard, there have been no exceedances since March of 1993.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Central Basin/San Francisco Bay, Central

Water Body	Central Basin/San Francisco Bay, Central
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 466 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Since March 1993, there have been 6 exceedances, and there have been no exceedances of the objective since 1997.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

South Bay Basin/San Francisco Bay, Lower

Water Body	South Bay Basin/San Francisco Bay, Lower
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 466 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Since March 1993, there have been 6 exceedances, and there have been no exceedances of the objective since 1997.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

South Bay Basin/San Francisco Bay, Lower

Water Body	South Bay Basin/San Francisco Bay, Lower
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 463 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Using the CTR standard, there have been no exceedances since March of 1993.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Santa Clara Basin/San Francisco Bay, South

Water Body	Santa Clara Basin/San Francisco Bay, South
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used San Jose Copper and Nickel study QA/QC. QA/QC requirement. Only data of higher overall level of information was used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used
Water Body-specific Information	Data = 3 years (97-2000)
Data used to assess water quality	Data = 690 samples total collectively for S.F. Bay south of the Dumbarton Bridge. Using the CTR standard, 35% (241) of the samples exceed it.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 2/97-12/00.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist according to the new Site Specific Objectives coming in Spring 2002, and place on the Watch List.
SWRCB Staff Recommendation	Maintain Listing. The Site Specific Objectives, that would allow this water body to be de-listed, have yet to be approved. Using the CTR standard, 35% of the samples still exceed.

Region 2

Santa Clara Basin/San Francisco Bay, South

Water Body	Santa Clara Basin/San Francisco Bay, South
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used San Jose Copper and Nickel study QA/QC. QA/QC requirement. Only data of higher overall level of information was used.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used
Water Body-specific Information	Data = 3 years (97-2000)
Data used to assess water quality	Data = 604 samples total collectively for S.F. Bay south of the Dumbarton Bridge. Using the CTR standard, 1% (6) of the samples exceed it.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 2/97-12/00.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist according to the new Site Specific Objectives coming in Spring 2002, and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List. Using the current CTR standards only 1% of 604 samples still exceed.

Region 2

San Pablo Basin/San Pablo Bay

Water Body	San Pablo Basin/San Pablo Bay
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 466 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Since March 1993, there have been 6 exceedances, and there have been no exceedances of the objective since 1997.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

San Pablo Basin/San Pablo Bay

Water Body	San Pablo Basin/San Pablo Bay
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 463 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Using the CTR standard, there have been no exceedances since March of 1993.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Suisun Basin/Suisun Bay

Water Body	Suisun Basin/Suisun Bay
Stressor/Media/Beneficial Use	Copper/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Copper linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	WQO Basin Plan used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 466 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Since March 1993, there have been 6 exceedances, and there have been no exceedances of the objective since 1997.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Region 2

Suisun Basin/Suisun Bay

Water Body	Suisun Basin/Suisun Bay
Stressor/Media/Beneficial Use	Nickel/Water/Aquatic Life
Data quality assessment. Extent to which data quality requirements met.	Used Regional Monitoring Program (RMP) and Special TMDL study QA/QC. QA/QC requirement. Only data of higher overall level information used.
Linkage between measurement endpoint and beneficial use or standard	Nickel linked to Aquatic Life
Utility of measure for judging if standards or uses are not attained	California Toxics Rule (CTR) levels used
Water Body-specific Information	Data = 8 years (93-2001)
Data used to assess water quality	Data = 463 samples total collectively for S.F. Bay segments North of the Dumbarton Bridge. Using the CTR standard, there have been no exceedances since March of 1993.
Spatial representation	Data was spatially collected.
Temporal representation	Data was collected from 3/93-4/01.
Data type	Numerical data
Use of standard method	Regional Board methods
Potential Source(s) of Pollutant	Unknown
Alternative Enforceable Program	Unknown
RWQCB Recommendation	Delist and place on the Watch List.
SWRCB Staff Recommendation	Delist and place on the Watch List.

Water Bodies Proposed for the Watch List by Region 2

Carquinez Strait

Copper
Nickel
PAHs, PBDEs

Lake Merced

Low Dissolved Oxygen

Lake Merritt

Low Dissolved Oxygen

Novato Creek below Stafford Dam

Sedimentation and Siltation

Pilarcitos Creek below Pilarcitos Reservoir

Sedimentation and Siltation

Richardson Bay

PAHs, PBDEs

Sacramento-San Joaquin Delta

Copper
Nickel
PAHs, PBDEs

San Francisco Bay, Central

Copper
PAHs, PBDEs

San Francisco Bay, Lower

Copper
Nickel
PAHs, PBDEs

San Francisco Bay, South

Copper
Nickel
PAHs, PBDEs

San Pablo Basin/Castro Cove, Richmond

Toxicity

San Pablo Bay

Copper
Nickel
PAHs, PBDEs

South Bay Basin/Central Basin, San
Francisco

Toxicity

South Bay Basin/Oakland Inner Harbor
(Fruitvale site)

Toxicity

South Bay Basin/Oakland Inner Harbor
(Pacific Dry-dock Yard 1 site)

Toxicity

South Bay Basin/Redwood Creek, tidal
portion (San Mateo County)

E. coli

South Bay Basin/San Leandro Bay

Toxicity

Suisun Bay

Copper

Nickel

PAHs, PBDEs

Urban Creeks, Lakes, and Shorelines

Trash

Reference List for Region 2

Staff Report

California Regional Water Quality Control Board. San Francisco Bay Region. 2001. Proposed Revisions to Section 303(d) List and Priorities for Development of Total Maximum Daily Loads (TMDLs) for the San Francisco Bay Region. Staff Report. November 14, 2001.

Technical References

Alameda Creek Watershed Key Point Monitoring for Alameda Creek, Alameda Creek Water Quality Monitoring Station, Alamo Canal, Arroyo de la Laguna, Arroyo del Valle, Arroyo las Positas, Arroyo Mocho, Sinbad, Stonybrook, and Vallecitos Creek. Jul. 1997-Apr. 2001. Alameda County Water District.

Alameda Creek Watershed Key Point Monitoring for Alamo Creek, South San Ramon Creek, and Tassajara Creek. May 1998-Apr. 2001. Alameda County Water District.

Anderson, J.W., Zeng, E.y., Jones, J.M., 1999. Environ. Toxicol. Chem. 1999, 18, 1506-1510.

Bay Area Clean Water Agencies (BACWA), 2001. Draft Report for Copper and Nickel North of the Dumbarton Bridge. Prepared by EOA, Inc. and Larry Walker Associates, December 6, 2001.

Bel Marin Keys Community Services District Water Quality Testing Results 1997-1998; 2000-2001 Novato Creek and Bel Marin Keys Lagoon, Novato, California.

Belsky, E. and S. Lattanzio. Feb 2001. Request for Assessment and Clean-Up at Pacheco pond. Waterkeepers Northern California.

BPTCP, 1998. Sediment Quality and Biological Effects in San Francisco Bay. Bay Protection and Toxic Cleanup Program. Final Technical Report. California State Water Resources Control Board, Division of Water Quality, San Francisco Bay Regional Water Quality Control Board, California Department of Fish and Game Marine Pollution Studies Laboratory, California State University Moss Landing Marine Laboratories, University of California, Santa Cruz, Institute of Marine Sciences. August 1998.

Cabral, B. Water Quality Project Manager. Watershed Sanitary Survey for the CA Water Service Company. Bear Gulch Water Treatment Facility. CA Water Service Company.

California Department of Pesticide Regulation, Surface Water Database. Sept. 24, 2000. Pesticide Action Network.

City of Benicia Monitoring Program for Lake Herman. Jul. 1997-Apr. 2001. City of Benicia.

Cloak D. and L.A.J. Buchan. Sept. 2000. Stormwater Environmental Indicators Demonstration Project Draft Report. Water Environment research Foundation.

Coastal Clean-up Data for Alameda and Contra Costa East Bay Regional Park District. 1998-2000. Kathleen Fusek. Alameda and Contra Costa East Bay Regional Park District

Coastal Clean-up Data for Marin County. 1997-2000. Christianne Gallagher. Marin Bay Model Visitor Center.

Coastal Clean-up Data for Sonoma County. 1997-2000. Christie Brown. Sonoma-Sierra.

Collins, L. Jul. 1998. Sediment Sources and Fluvial Geomorphic Processes of Lower Novato Creek Watershed.

Collins, L., D. Morton, and P. Amato. 2001. Carriger Creek Watershed Science Approach, San Francisco estuary Institute Draft.

Collins, L., P. Amato, and D. Morton. Dec. 2000. Application of the SFEI Watershed Science Approach to San Antonio Creek, Sonoma and Marin Counties, California.

Collins, L., P. Amato, and D. Morton. 2001. San Pedro Creek Geomorphic Analysis. San Mateo County.

Department of Water Resources. 1999. Assessment of MTBE in State Water Project Reservoirs. Apr.1999.

Draft Environmental Impact Report and Stream Maintenance Program Report for the Multi-Year Stream Maintenance Program. Mar. 28, 2001. Santa Clara County, Santa Clara Valley Water District.

Draft IR Site 2 Remedial Investigation Report Alameda Point Alameda, California. Dec 2000. Neptune and Company, Inc.

Draft Seaplane Lagoon Site Characterization Memorandum. April 2001. WaterKeepers of Northern California.

Eljarrat, E., J. Caixach and J. Rivera. 2001. Toxic Potency Assessment of Non- and Mono-*ortho* PCBs, PCDDs, PCDFs, and PAHs in Northwest Mediterranean Sediments (Catalonia, Spain). *Env. Sci. Tech.* 35:18 3589-3594.

Environmental Protection Agency Region IX Laboratory Data for San Pedro Creek. Jan. 1997-Nov. 2000. Environmental Protection Agency.

Fairfield-Suisun Water Treatment Plant Slough Data for Suisun Slough and Boynton Slough. Jun. 1997-Jun. 2000. NPDES Permit CA0038024. Fairfield-Suisun Sewer District.

Fairfield-Suisun Sewer District. 2001. Mercury Reduction Study-Final Report. July 10, 2001. NPDES Permit CA0038024.

Friends of Novato Creek Photo Journal. Friends of Novato Creek.

Friends of Sausal Creek Monitoring Program for Palo Seco, El Centro, and Hickory. Feb. 1998-Mar. 2000. Friends of Sausal Creek.

Grovhoug, T. R. and S. Salvia. Aug. 17, 2000. Work Plan for Copper and Nickel Impairment Assessment to Assist in Preparation of 2002 303(d) List-San Francisco Bay North of Dumbarton Bridge. Bay Area Clean Water Agencies (BACWA).

Haible, W.W., 1980. Holocene profile changes along a California coastal stream. *Earth Surface Processes* 5(3): 249-264.

Hecht, B., 1992. Sediment overview report: development of an initial sediment management plan for Lagunitas Creek, Marin County, California> Prepared for Marin Municipal Water District by Balance Hydrologics, Inc., February 1992.

Kannan, K., Villeneuve, D., Yamashita, N., Imagawa, T., Hashimoto, S., Miyazaki, A., Giesy, J. 2000. *Environ. Sci. Tech.* 2000, 34, 3568-3573.

Khim, J.S.; Villeneuve, D.L., Kannan, K., Koh, C., Giesy, G. 1999. *Environ. Sci. Tech.* 1999, 33, 4206-4211.

Lake Merritt Institute Monitoring Program. Sept. 1998-May 1999. Lake Merritt Institute, Alameda County.

Lawrence Livermore National Laboratory Storm Water Monitoring Program for Arroyo Seco and Arroyo Los Positas. Nov. 1997-Mar. 2000. Lawrence Livermore National Laboratory.

Leidy, Robert, 1997. Distribution and ecology of stream fishes in the San Francisco Bay drainage. *Hilgardia* 52, no. 8:1-175.

Marin County Macroinvertebrate Survey Fall 1999-Spring 2000. Sustainable Land Stewardship Institute for the Marin County Stormwater Pollution Prevention Program.

Marin County Stormwater Pollution Prevention Program's Aquatic Macroinvertebrate Sampling Program. World Wide Web. <http://www.mywatershed.org/bmi/samplesites.htm>. Apr. 2001.

Marin-Sonoma Counties Agricultural Runoff Influence Investigation 1999-2000 Summary. Dec 2000. Department of Fish and Game.

McMurtry, R. Jan. 2001. PCBs and Clams in Creeks The Results of An Environmental Partnership. Silicon Valley Toxics Coalition, Clean Streams/Clean Bay Project.

Moore, C.J. et al. 1999. Marine Debris in the North Pacific Gyre, with a Biomass Comparison of Neustonic Plastic and Plankton. (in preparation).

Moore, S.L. and M.J. Allen. 2000. Distribution of Anthropogenic and Natural Debris on the Mainland Shelf of the Southern California Bight. *Marine Pollution Bulletin* 40:83-88.

National Research Council (NRC), 2001. Assessing the TMDL Approach to Water Quality Management. Committee to Assess the Scientific Basis of the Total Maximum Daily Load Approach to Water Pollution Reduction. Water Science and Technology Board. Division of Earth and Life Studies. Governing Board of the National Research Council, with members of the National Academy of Sciences, National Academy of Engineering, and the Institute of Medicine.

Natural Resources Defense Council (NRDC), 2001. Testing the Waters XI: A Guide to Water Quality at Vacation Beaches. August 2001.

North Bay Dischargers Group, Bay Area Dischargers Association, Western States Petroleum Association. 2001. Copper and Nickel Impairment Assessment to Assist in Preparation of 2002 303(d) List, San Francisco Bay North of Dumbarton Bridge. May 15, 2001.

Pereira, W. E., F. D. Hostettler, S. N. Luoma, Alexander van Geen, C. C. Fuller, and R. J. Anima. 1999. Sedimentary record of anthropogenic and biogenic polycyclic aromatic hydrocarbons in San Francisco Bay, California. *Marine Chemistry*. 64:99-113.

Petaluma Tree Planters, 1999. Diazinon and Chlorpyrifos in the Upper Petaluma River Watershed Petaluma, California. B. Abelli-Amen, BASELINE Environmental Consulting.

Phillip Williams & Associates, Ltd. 1996. Pilarcitos Creek Restoration Plan. Aug. 1996.

Prunuske Chatham, Inc., 2001. Novato Creek Watershed Erosion Inventory and Sediment Control Plan. Prepared for Marin County Department of Public Works, April 2001.

Randall, Paul. 2001. Response to Recommendation by WaterKeepers of Northern California that San Pedro Creek be added to the 303(d) List for Total Coliform, Fecal Coliform, and Sedimentation. Memorandum to Bob Davidson, San Mateo STOPPP. June 27, 2001.

Rich, A. May. 1995. Feasibility Study to Rehabilitate the Fishery Resources of the Arroyo Corte Madera del Presidio Watershed, Mill Valley, California. A.A Rich and Associates Fisheries and Ecological Consultants.

Rich, A. Nov. 2000. Fishery Resources Conditions of the Corte Madera Creek Watershed, Marin County, California.

RWQCB, 1995. San Francisco Bay Water Quality Control Plan (Basin Plan).

RWQCB, 1999. Final Regional Toxic Hot Spot Cleanup Plan. March 1999.

San Francisco Public Utilities Commission Quarterly Lake Monitoring. Sept. 1997-Dec. 2000. Friends of Lake Merced, San Francisco Public Utilities Commission.

San Jose Copper and Nickel Monitoring Program. Feb. 1997-Dec. 2000.

Sanitary Survey Update Report 2001, Vol. 1,2. Municipal Water Quality Investigations Program. California State Water Project Watershed. Division of Planning and Local Assistance, CA Department of Water Resources.

San Mateo County Environmental Health Data for Marina Lagoon. Oct. 1998-Oct. 2000. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for North Coast: Fitzgerald Marine Reserve, Linda Mar Beach #5, Linda Mar Beach #6, Pillar Point Harbor, Sharp Park Beach #3, and Sharp Park Beach #6. Jan. 1998-Jan. 2001. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for North Coast: Montara Beach. Feb. 2000-Jan. 2000. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for North Coast: Pillar Point #4, #5, and #7. Jan. 2000-Jan. 2001. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for North Coast: Rockaway Beach. Mar. 2000-Jan. 2001. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for North Coast: Surfer's Beach. Jan. 1998-Jan. 2001. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for San Pedro. May. 1998-Aug. 2000. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for San Vicente. Oct. 1998-Sept. 2000. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for South Coast: Francis Beach, Pescadero Beach, Pomponio Beach, Pomponio Creek, San Gregorio Beach, and San Gregorio Creek. Sept. 1998-Mar. 2001. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for South Coast: Pescadero Creek. Sept. 2000-Oct. 2000. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for South Coast: Roosevelt Beach. Sept. 1998-Mar. 2001. WaterKeepers of Northern California.

San Mateo County Environmental Health Data for South Coast: Venice Beach. Sept.1999-Mar. 2001. WaterKeepers of Northern California.

Santa Clara Basin Watershed Management Initiative TMDL Work Group, 2000. Impairment Assessment Report for Copper and Nickel in Lower South San Francisco Bay. June 2000.

Santa Clara Basin Watershed Management Initiative TMDL Work Group, 1999. Conceptual Model Report for Copper and Nickel in Lower South San Francisco Bay, December 1999.

Santa Clara Watershed Monitoring for Almaden Reservoir. Jan.1998-Feb.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Anderson EROP Packwood, EROP North, EROP South, and EROP Holiday Estates. Jul.1997-Dec.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Anderson Reservoir. Jan.1998-Feb.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Anderson Reservoir Basin. Feb.1998-Jun.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Calero EROP Beach, EROP Cherry Cove, and EROP Portal. Jul.1997-Aug.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Calero Horse Ranch and Calero Inlet. Jul.1997-Aug. 2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Calero Reservoir Basin. Feb.1998-May.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Coyote Reservoir. Jan.1998-Feb.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Horse Ranch Monitoring Program and Lightfoot Stable Monitoring Program. Jan.1998-Jan.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Hydrolab Anderson. Jul.1997-Jun.2001. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Hydrolab Calero. Jan.2000-Dec.2000. Santa Clara Valley Water District.

Santa Clara Watershed Monitoring for Twin Creeks Monitoring Program. Jul.1997-Oct.2000. Santa Clara Valley Water District.

Scanlin, J. and A. Y. Feng. Oct. 20, 1997. Characterization of the Presence and Sources of Diazinon in the Castro Valley Creek Watershed. Alameda County.

San Francisco Estuary Institute. 2000. Sediment Contamination in San Leandro Bay, CA. Dec. 2000.

San Francisco Estuary Institute, 2001. Letter and attached information from Rainer Hoenicke to Thomas Mumley re: 303(d) List, May 15, 2001.

She, J., Petreas, M., Winkler, J., Visita, P., McKinney, M., and D. Kopec. 2001. PBDEs in the San Francisco Bay Area: Measurements in Harbor Seal Blubber and Human Breast Adipose Tissue. Chemosphere, In Press, 2001.

Smeltzer, M., J. Reilly, and D. Dawdy. Dec. 2000. Geomorphic Assessment of the Corte Madera Creek Watershed Marin County, California Final Report. Stetson Engineers Inc.

Southern Sonoma County Resource Conservation District, 1999. Petaluma River Enhancement Plan.

Spies, R. B., and D. W. Rice, Jr. 1988. Effects of organic contaminants on reproduction of the starry flounder *Platichthys stellatus* in San Francisco Bay [California, USA]: II. Reproductive success of fish captured in San Francisco Bay and spawned in the laboratory. Marine Biology (Berlin). 98:191-200.

Sykes, R.G. 2000. East Bay Watershed Sanitary Survey. East Bay Municipal Utility District.

Stafford Lake Watershed Sanitary Survey. 1995. North Marin Water District.

Thompson, B., B. Anderson, J. Junt, K. Taberski, and B. Phillips. 1999. Relationships between sediment contamination and toxicity in San Francisco Bay. Marine Environmental Research. 48:285-309.

U.S. Environmental Protection Agency, 1992. Plastic Pellets in the Aquatic Environment: Sources and Recommendations.

U.S. Environmental Protection Agency, 1996. Guidelines for Preparation of the 1996 State Water Quality Assessments (305(b) Reports).

U.S. Environmental Protection Agency. 2000. Water Quality Standards: Establishment of Numeric Criteria for Priority Toxic Pollutants for the State of California; (40 CFR Part 131); Part II. In: Federal Register, May 18, 2000. (California Toxics Rule). U.S. EPA. Washington, D.C.

U.S. Environmental Protection Agency, 2001a. DRAFT Consolidated Assessment and Listing Methodology (CALM), Toward a Compendium of Best Practices. April 20, 2001.

U.S. Environmental Protection Agency, 2001b. Draft Assessing and Monitoring Floatable Debris.

U.S. Geological Survey Water Quality Monitoring for Abbotts Lagoon Lower, Middle and Upper. Nov.1998-Aug.1999. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Alameda Creek. Feb.2000-May.2000. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Arroyo de la Laguna. Dec.1997-Mar.2000. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Arroyo Valle. Jan.1999-Mar.2000. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Cull Creek and San Lorenzo Creek. Nov. 1997-May.2000. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Crow Creek. Oct.1999-May.2000. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Lagunitas Creek, Olema Creek, Pine Creek, and Redwood Creek (Alameda County). Nov.1998-Jan.2001. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Lobos Creek. Jul.1997-May.1998. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Redwood Creek (Marin County). Sept. 1997-Mar.1998. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for San Antonio Creek. Jan.2000-Apr.2000. U.S. Geological Survey.

U.S. Geological Survey Water Quality Monitoring for Torogas Creek. Jan.2000-May.000. U.S. Geological Survey.

Watershed Sanitary Survey. Jan.1996. Citizens Utilities Company of California Montara District.

Watershed Sanitary Survey 1997. Jan. 1997. Inverness Public Utility District, Marin County.

Watershed Sanitary Survey for Anderson, Coyote, Calero, Almaden 1989. Dec.1995. Santa Clara Valley Water District.

Watershed Sanitary Survey for Denniston and San Vicente Watersheds. Apr.1996. San Mateo County and Coast Side County Water District.

Watershed Sanitary Survey for Los Gatos and Saratoga Creek Watersheds. San Jose Water Company.

Watershed Sanitary Survey Update. Dec.2000. Citizens Water Resources Company Montara System.

Watershed Sanitary Survey Update 2000. Dec. 2000. Marin Municipal Water District, Kennedy Jenks Consultant.

Watershed Sanitary Survey Updates for the Alameda and Peninsula Watersheds. Dec.2000. Executive Summary. San Francisco Public Utilities Commission.

WaterKeepers of Northern California. Jan.-Apr. 2001. Photographs of trash in Guadalupe River, San Leandro Creek, Damon Slough, Lake Merritt and Glen Echo Creek.

WaterKeepers of Northern California. Mar. 1, 2001. Photographs of trash in Guadalupe River.

Other Information Considered

D'Alessio, C. and S. Guldman. May 1, 2001. Letter to Christine Kennelly at BayKeeper. Friends of Corte Madera Creek Watershed.

Dick, M. Jan. 15, 2001. Letter to Tom Mumley at San Francisco bay Regional Water Quality Control Board. Santa Clara Basin Watershed Management Initiative.

Johmann, L. May 12, 2001. Letter to Steve Moore in Response to Public Solicitation of Water Quality Information Notice. Western Waters Canoe Club.

Olivieri, A. W. May 11, 2001. Letter to Loretta Barsamian in Response to Solicitation of Water Quality Information. Santa Clara Valley Urban Runoff Pollution Prevention Program.

Salzman, B. May 14, 2001. Letter to Loretta Barsamian in Response to Solicitation of Water Quality Information. Marin Audubon Society.